

A Quest Diagnostics Company

Toll-free: 1.888.92.PHENO P 1.206.374.9000 F 1.206.374.9009

THIS SECTION FOR PHENOPATH USE ONLY

CANCER TYPE

PHENOPATH USE ONLY

SDECIMEN INFODMATIO			enopatii.							• • • • • • • • • • • • • • • • • • • •
SPECIMEN INFORMATION Facility specimen collected at						UESTING ENT				DRESS ort will be returned to the Ordering Physician at
					the ac	Idress/FAX listed				rwise requested):
Collection Date Collection Time			ne		Name (Client ID)					
Multiple specimens submitted:	☐ Test Se	parately 🗌 S	Select Best	☐ Combine	Add1					
Pathology Report:	able		Add2							
Specimen ID	Sublabel	Specimen Sou	urce		City, S	T Zip				
·					Phone):				FAX#:
					Order	ing Physician Nar	ne			NPI#
					Order	ing provider signa	ature, creden	tia	ls & d	date requested (required by certain payers)
PROGNOSTIC MARKER ST	UDIES FIX	KATION (ASC	O/CAP Re	quirement)						d) have medical necessity requirements. You should
Fixative: 🗆 10% NBF (Neutral E	her		only order those tests which are medically necessary for the diagnosis and treatment of the patient.							
Fixation duration (please circle			BILLING INFO (If complete and accurate patient billing information is not provided, PhenoPath may bill the requesting entity)							
Collection Time: AM	/PM Time F	Placed in Fixati	ive:	AM/PM	BILL: Insurance Patient Requesting entity PO# PO not required ICD-10					
PATIENT INFORMATION Name (Last, First, MI)						narty hilling is reque			•	
rvanie (Last, First, Wil)					*If 3 rd -party billing is requested, a copy of face sheet and front/back of patient's ins/Medicare card must be attached, or client will be billed. Direct-bill regulations prohibit PhenoPath from billing a 3 rd -party entity †If requesting entity has been selected, ENTIRE billing demographics MUST be documented below If pre-authorization is required but is not obtained, PhenoPath will bill the requesting entity					
DOB			☐ Male	☐ Female	If pre Attn:	-authorization is rec	Entity Name		otaine	ed, PhenoPath will bill the requesting entity
M. II. 18								le		
Medical Record # Pt #					-,					
Address					City, ST Zip					I FAVE
					Billing Contact Phone #:					FAX#:
Phone								_		, write/type in the name of the treating physician) FO BELOW IS NOT COMPLETED, report will NOT be faxed or mailed
☐ Inpatient ☐ Outpatient ☐ Non-Hospit							cuting physician	.,		TO BELOW TO HOT COMM ELTER, report which HOT Be haved of marica
CONTACT INFORMATION		Facility Name:								
Person completing form				Mailing Address						
Date		Phone			Phone					FAX#:
G=Global (w/ interp)/ TC=Tech only (w/o interp)		G=Global (w	v/ interp)/ TC=Te	ch only	(w/o interp)		G=0	Globa	l (w/ interp)/ TC=Tech only (w/o interp)
IMMUNOTHERAPY BIOMAR	KERS			RCINOMA					NCH	SYNDROME & COLON CARCINOMA
G TC G			CTC			TC				
□ N/A PD-L1 (22C3) IHC □		(28-8) IHC		D-L1 (22C3) IH	G □	PD-L1 (28-8)) IHC	G		MLH1 IHC
(Keytruda)	N/A PD-L1 (Opdive	(28-8) IHC o) (SP142) IHC	□ N/A PE	eytruda)	C _	N/A PD-L1 (28-8) (Opdivo)) IHC	G		MLH1 IHC □ □ MSH2 IHC MSH6 IHC □ PMS2 IHC
	N/A PD-L1 (Opdivo N/A PD-L1 (Tecen	(28-8) IHC o) (SP142) IHC triq)	□ N/A PC (K	eytruda) D-L1 (SP142) C (Tecentriq)		N/A PD-L1 (28-8) (Opdivo)) IHC N) IHC	G 	□ □ □ N/A	MLH1 IHC
N/A (Keytruda)	N/A PD-L1 (Opdivo N/A PD-L1 (Tecen	(SP142) IHC triq)	□ N/A PE IH	eytruda) D-L1 (SP142) C (Tecentriq) LK (for lung ca) C (if + or equivoca	C _	N/A PD-L1 (28-8) (Opdivo) PD-L1 (E1L3	N) IHC	G 		MLH1 IHC
N/A (Keytruda)	N/A PD-L1 (Opdivon) N/A PD-L1 (Tecent) roved) MSH2	(SP142) IHC triq) IHC IHC	N/A PE N/A PE IH N/A IH rur	eytruda) D-L1 (SP142) C (Tecentriq) .K (for lung ca) C (if + or equivoca n ALK by FISH)		N/A (Opdivo) N/A (PD-L1 (E1L3 (generic)	N) IHC	G	\Box \cdot \	MLH1 IHC MSH2 IHC MSH6 IH
N/A (Keytruda)	N/A PD-L1 (Opdivon) N/A PD-L1 (Tecent) roved) MSH2 PMS2 I	(SP142) IHC triq) IHC IHC	□ N/A PI (K (K (K H H H H H H H H H	eytruda) D-L1 (SP142) C (Tecentriq) LK (for lung ca) C (if + or equivocan ALK by FISH) DS1 IHC (if + or e	C quivocal	N/A PD-L1 (28-8) (Opdivo) N/A PD-L1 (E1L3 (generic) ROS1 IHC ,run ROS1 by FISH) N/A ROS1 by FISH	n) IHC	G		MLH1 IHC MSH2 IHC MSH6 IHC MSH6 IHC MSH6 IHC MSH2 IH
N/A (Keytruda)	N/A PD-L1 (Opdivon) N/A PD-L1 (Tecent) roved) MSH2 PMS2 I	(SP142) IHC triq) IHC IHC	N/A PC (K (K (K (K (K (K (K (eytruda) D-L1 (SP142) C (Tecentriq) LK (for lung ca) C (if+ or equivoca n ALK by FISH) DS1 IHC (if + or e LK (for lung ca) IHC LK by FISH ET by FISH	al, O	N/A PD-L1 (28-8) (Opdivo) N/A PD-L1 (E1L3 (generic) ROS1 IHC ,run ROS1 by FISH)	N) IHC	G 	\Box \cdot \	MLH1 IHC MSH2 IHC MSH6 IHC MSH6 IHC MSH6 IHC MSH6 IHC MSH2 IH
N/A (Keytruda)	N/A PD-L1 (Opdivon) N/A PD-L1 (Tecent) roved) MSH2 PMS2 I	(SP142) IHC triq) IHC IHC	N/A PI	eytruda) D-L1 (SP142) C (Tecentriq) K (for lung ca) C (if + or equivoca n ALK by FISH) DS1 IHC (if + or e K (for lung ca) IHC K by FISH ET by FISH	C	N/A PD-L1 (28-8) (Opdivo) N/A PD-L1 (E1L3 (generic) ROS1 IHC ,run ROS1 by FISH) N/A ROS1 by FISH N/A EGFR by PCF N/A BRAF V600 b	H R	G	N/A N/A N/A	MLH1 IHC MSH2 IHC MSH6 IHC MSH6 IHC PMS2 IHC MSH6 IH
N/A (Keytruda)	N/A PD-L1 (Opdive N/A PD-L1 (Tecent roved) MSH2 MSH2 MSH6 Morand normal for the normal street	(SP142) IHC triq) IHC	N/A PE K K K K K K K K K	eytruda) D-L1 (SP142) C (Tecentriq) K (for lung ca) C (if + or equivoca n ALK by FISH) DS1 IHC (if + or e K (for lung ca) IHC K by FISH ET by FISH ET by FISH ET BR FCR (if neg	quivocal	N/A PD-L1 (28-8) (Opdivo) N/A PD-L1 (E1L3 (generic) ROS1 IHC ,run ROS1 by FISH) N/A ROS1 by FISH N/A EGFR by PCF N/A BRAF V600 b	H R LK is	G	N/A N/A N/A N/A N/A	MLH1 IHC
N/A (Keytruda)	N/A PD-L1 (Opdive N/A PD-L1 (Tecent roved) MSH2 PMS2 MSH6 MSH6 Mor and normal for the normals TC PR IHC P53 IHC	(SP142) IHC triq) IHC IHC IHC IL (Itissue specimens)	N/A PC (K (K (K (K (K (K (K (eytruda) D-L1 (SP142) C (Tecentriq) K (for lung ca) C (if + or equivoce n ALK by FISH) DS1 IHC (if + or e LK (for lung ca) IHC LK by FISH ET by FISH ET by FISH GFR PCR (if neg gative, run ROS1	quivocal C	N/A PD-L1 (28-8) (Opdivo) N/A PD-L1 (E1L3 (generic) ROS1 IHC , run ROS1 by FISH) N/A ROS1 by FISH) N/A EGFR by PCF N/A BRAF V600 b n ALK FISH, and if A	H R Dy PCR	G	N/A N/A N/A	MLH1 IHC
N/A (Keytruda)	N/A PD-L1 (Opdive N/A PD-L1 (Tecent roved) MSH2 PMS2 MSH6 Mor and normal for the normal structure PR IHC PR IHC P53 IHin, INPP4B)	(SP142) IHC triq) IHC IHC IHC IL (Itissue specimens)	N/A PI	eytruda) D-L1 (SP142) C (Tecentriq) K (for lung ca) C (if + or equivoca n ALK by FISH) SS1 IHC (if + or e K (for lung ca) IHC K by FISH ET by FISH ET by FISH GFR PCR (if neg gative, run ROS1 GFR PCR (if negative, run ROS1	quivocal c	N/A PD-L1 (28-8) (Opdivo) N/A PD-L1 (E1L3 (generic) ROS1 IHC , run ROS1 by FISH) N/A ROS1 by FISH) N/A EGFR by PCF N/A BRAF V600 b n ALK FISH) n ALK FISH, and if A ALK FISH; if ALK is neggative, run MET FISH a	H R Dy PCR LK is and RET FISH)	G 		MLH1 IHC
N/A (Keytruda)	N/A PD-L1 (Opdive N/A PD-L1 (Topdive N/A PD-L1 (Top	(SP142) IHC triq) IHC IHC IHC ILIC IHC ILIC ILIC ILIC IL	N/A PC (K (K (K (K (K (K (K (eytruda) D-L1 (SP142) C (Tecentriq) K (for lung ca) C (if + or equivoca h ALK by FISH) DS1 IHC (if + or e LK (for lung ca) IHC LK by FISH ET by FISH ET by FISH EFR PCR (if neg gative, run ROS1 BFR PCR (if negative) FR PCR (if negative)	quivocal c	N/A PD-L1 (28-8) (Opdivo) N/A PD-L1 (E1L3 (generic) ROS1 IHC ,run ROS1 by FISH) N/A ROS1 by FISH N/A EGFR by PCF N/A BRAF V600 b n ALK FISH, and if A ALK FISH; and if A	H R Sative, run and RET FISH) LK is SH)			MLH1 IHC
N/A (Keytruda)	N/A PD-L1 (Opdive N/A PD-L1 (Topdive N/A PD-L1 (Top	(SP142) IHC triq) IHC IHC IHC Il tissue specimens specimen) CC IHC	N/A PE N/A AL N/A RE N/A AL N/A AL N/A AL N/A AL N/A AL N/A EG	eytruda) D-L1 (SP142) C (Tecentriq) K (for lung ca) C (if + or equivoce n ALK by FISH) DS1 IHC (if + or e K (for lung ca) IHC K by FISH ET by FISH GFR PCR (if neg gative, run ROS1 GFR PCR (if neg gative, run ROS1) GFR PCR (if neg gative, run ROS1) D-L1 (22C3) IHC.	quivocal c quivocal c quivocal c quivocal c quivocal c quivocal sative, ru entive, ru en	N/A PD-L1 (28-8) (Opdivo) N/A PD-L1 (E1L3 (generic) ROS1 IHC ,run ROS1 by FISH) N/A ROS1 by FIS N/A EGFR by PCF N/A BRAF V600 b n ALK FISH) n ALK FISH, and if A ALK FISH; if ALK is neggative, run MET FISH and If A	H R Dy PCR LK is (ative, run and RET FISH) LK is SH)	G		MLH1 IHC
N/A (Keytruda)	N/A PD-L1 (Opdive PD-L1 (Tecent roved) MSH2 MSH2 MSH6 MSH6 MORAL MSH6 MORAL MSH6 MORAL MSH6 MORAL MSH6 MORAL MSH6 ITC PRIHC PRIHC I HC SIGN MSH6 MSH6	(SP142) IHC triq) IHC IHC IHC IHC IHC IHC IHC IHC IHC IH	N/A PL N/A PL N/A AL N/A AC N/A N/A	eytruda) D-L1 (SP142) C (Tecentriq) K (for lung ca) C (if + or equivoca n ALK by FISH) SS1 IHC (if + or e K (for lung ca) IHC K by FISH ET by FISH ET by FISH GFR PCR (if neg gative, run ROS1 SFR PCR (if negat)	ative, ru ative, ru ative, ru stive, ru entive, ru enti	PD-L1 (28-8) (Opdivo) N/A PD-L1 (E1L3 (generic) ROS1 IHC ,run ROS1 by FISH) N/A ROS1 by FISH) N/A ROS1 by FISH N/A BRAF V600 b n ALK FISH) n ALK FISH, and if A ALK FISH; if ALK is negative, run MET FISH and RET FISH AND RESEAUTION MET FISH and RET FISH and	H R Syp PCR LK is (ative, run and RET FISH) ROS1 FISH and RET FISH) MS	G		MLH1 IHC
N/A (Keytruda)	N/A PD-L1 (Opdive PD-L1 (Tecent roved) MSH2 PMS2 MSH6 MSH6 PR IHC PR IHC PS 3 IH PS 3 IH PS 4 IHC PS 4 IHC PS 5 IHC PS 5 IHC PS 6 IHC PS	(SP142) IHC triq) IHC IHC IHC IHC IHC IHC I tissue specimens specimen))	N/A PI (K K K K K K K K K	eytruda) D-L1 (SP142) C (Tecentriq) K (for lung ca) C (if + or equivoca n ALK by FISH) DS1 IHC (if + or e K (for lung ca) IHC K by FISH ET by FISH ET by FISH ET by FISH ET PCR (if neg gative, run ROS1 SFR PCR (if neg gative, run ROS1 D-L1 (22C3) IHC FGASTROES C-L1 (22C3) IHC	C	N/A PD-L1 (28-8) (Opdivo) N/A PD-L1 (E1L3 (generic) ROS1 IHC , run ROS1 by FISH) N/A ROS1 by FISH) N/A EGFR by PCF N/A BRAF V600 b ALK FISH, and if A ALK FISH, if ALK is neggative, run MET FISH and RET FIS	H R Sy PCR LK is (ative, run and RET FISH) LK is (BH) ROS1 FISH AND RET FISH) SMS	G		MLH1 IHC
N/A (Keytruda)	N/A PD-L1 (Opdive N/A PD-L1 (Opdive N/A PD-L1 (PD-L1 (PD-L	(SP142) IHC triq) IHC IHC IHC ILIC ILIC ILIC ILIC ILIC I	N/A PI	eytruda) D-L1 (SP142) C (Tecentriq) K (for lung ca) C (if + or equivoca n ALK by FISH) SS1 IHC (if + or e K (for lung ca) IHC K by FISH ET by FISH ET by FISH GFR PCR (if neg gative, run ROS1 SFI FISH; and if RC GFR PCR (if neg gative, run ROS1 SFR PCR (if neg gati	C	N/A PD-L1 (28-8) (Opdivo) N/A PD-L1 (E1L3 (generic) ROS1 IHC , run ROS1 by FISH) N/A ROS1 by FISH) N/A ROS1 by FISH N/A BRAF V600 b n ALK FISH) n ALK FISH, and if A ALK FISH; if ALK is neggative, run MET FISH and RET FISH an	H H R DY PCR LK is (ative, run and RET FISH) LK is SH) ROS1 FISH and RET FISH) SMS			MLH1 IHC
N/A (Keytruda)	N/A PD-L1 (Opdive N/A PD-L1 (Tecent roved) MSH2 MSH2 MSH6 MSH6 MORE MSH6	(SP142) IHC triq) IHC IHC IHC IHC I tissue specimens specimen) C IIIC IIIC IIIC IIIC IIIC IIIC IIIC	N/A PC N/A H N/A N	eytruda) D-L1 (SP142) C (Tecentriq) K (for lung ca) C (if + or equivoca h Alk by FISH) DS1 IHC (if + or e K (for lung ca) IHC K by FISH ET by FISH ET by FISH ET by FISH GFR PCR (if neg gative, run ROS1 GFR PCR (if neg gative, run ROS1 D-L1 (22C3) IHC EGFR, Alk and RO F (GASTROES) C-L1 (22C3) IHC ER2 IHC ER2 IHC ER2 IHC	C	N/A PD-L1 (28-8) (Opdivo) N/A PD-L1 (E1L3 (generic) ROS1 IHC ,run ROS1 by FISH) N/A ROS1 by FISH) N/A ROS1 by FISH N/A BRAF V600 b n ALK FISH) n ALK FISH, and if A ALK FISH; if ALK is neggative, run MET FISH and RET FISH and ALK FISH, and if A BET FISH and RET FISH and RET FISH and RET FISH CREATER OF ALK FISH, and RET FISH and RET FISH and RET FISH CREATER OF ALK FISH (RET FISH) BET FISH ALK FISH, and RET FISH (RET FISH) CREATER OF ALK FISH, and RET FISH (RET FISH) BET FISH (RET FISH)	H R Dy PCR LK is (ative, run and RET FISH) LK is SH) SMS N) IHC	G		MLH1 IHC
N/A (Keytruda)	N/A PD-L1 (Opdive N/A PD-L1 (Tecent roved) MSH2 MSH2 MSH6 MSH6 MORE MSH6	(SP142) IHC triq) IHC IHC IHC IHC I tissue specimens specimen) C IIIC IIIC IIIC IIIC IIIC IIIC IIIC	N/A PC K K K K K K K K K	eytruda) D-L1 (SP142) C (Tecentriq) K (for lung ca) C (if + or equivoca h ALK by FISH) DS1 IHC (if + or e LK (for lung ca) IHC LK by FISH ET by FISH ET by FISH ET by FISH ET by FISH GFR PCR (if neg gative, run ROS1 D-L1 (22C3) IHC LY (22C3) IHC LY (2C3) IHC LY (2C3	ative, run ative, run ative, run ative, run G G C C C C C C C C C C C C C C C C C	N/A PD-L1 (28-8) (Opdivo) N/A PD-L1 (E1L3 (generic) ROS1 IHC ,run ROS1 by FISH) N/A ROS1 by FISH) N/A EGFR by PCF N/A BRAF V600 b ALK FISH, and if A ALK FISH; if ALK is neg gative, run MET FISH a n ALK FISH; and if A MET FISH and RET FISH a geative, run MET FISH a processor of the p	H R PORT PORT PORT PORT PORT PORT PORT PO	G		MLH1 IHC
N/A (Keytruda)	N/A PD-L1 (Opdive N/A PD-L1 (Tecent roved) MSH2 PMS2 MSH6 MSH6 PR IHC PR IHC PS IHC	(SP142) IHC triq) IHC IHC IHC IHC IHC IHC I tissue specimens specimen) C IHC IHC IHC IHC IHC IHC IHC IHC IHC	N/A PI	eytruda) D-L1 (SP142) C (Tecentriq) K (for lung ca) C (if + or equivoca ALK by FISH) DS1 IHC (if + or e LK (for lung ca) IHC LK by FISH ET PCR (if neg gative, run ROS1 D-L1 (22C3) IHC, EGFR, ALK and RO LC (GASTROES) D-L1 (22C3) IHC, EGFR, ALK and RO LC (EGFR, LK and RO L	quivocal quivocal ative, run FISH) G G C G G G C G G G C G G	N/A PD-L1 (28-8) (Opdivo) N/A PD-L1 (E1L3 (generic) ROS1 IHC , run ROS1 by FISH) N/A ROS1 by FISH) N/A ROS1 by FISH N/A EGFR by PCF N/A BRAF V600 b IN ALK FISH, and if A ALK FISH, an	H R PORT PORT PORT PORT PORT PORT PORT PO	G G G G G G G G G G		MLH1 IHC
N/A (Keytruda)	N/A PD-L1 (Opdive N/A PD-L1 (Tecent roved) MSH2 MSH2 MSH6 MSH7 MSH6 MSH7 MSH6 MSH7 MSH6 MSH7 MSH8 MSH8	(SP142) IHC triq) IHC IHC IHC IHC IHC IHC I tissue specimens specimen)) C IHC IHC IHC IHC IHC IHC IHC IHC IHC	N/A PI	eytruda) D-L1 (SP142) C (Tecentriq) K (for lung ca) C (if + or equivoca n ALKby FISH) SS1 IHC (if + or e K (for lung ca) IHC K by FISH ET by FISH ET by FISH GFR PCR (if neg gative, run ROS1 SFR PCR (if neg gative, run ROS1 T (SFR) FISH (inclu ER2 FISH (inclu ER2 FISH (perfc T (c-KIT) muta DGFRa mutatic ANT GLIOMA	quivocal ative, run ative, run ative, run pixe, run pixe	N/A PD-L1 (28-8) (Opdivo) N/A PD-L1 (E1L3 (generic) ROS1 IHC , run ROS1 by FISH) N/A ROS1 by FISH) N/A ROS1 by FISH N/A ROS1 by FISH N/A BRAF V600 b n ALK FISH, and if A ALK FISH, and if A ALK FISH; if ALK is neggative, run MET FISH and RET F	H R Syp PCR LK is (ative, run and RET FISH) LK is SH) ROS1 FISH and RET FISH) MS N) IHC	G G G G G G G G G G		MLH1 IHC
N/A (Keytruda)	N/A PD-L1 (Opdive N/A PD-L1 (Tecent roved) MSH2 MSH2 MSH6 MSH7 MSH6 MSH7 MSH6 MSH7 MSH6 MSH8 MSH8	(SP142) IHC triq) IHC IHC IHC IHC IHC IHC I tissue specimens specimen)) C IHC IHC IHC IHC IHC IHC IHC IHC IHC	N/A PC N/A	eytruda) D-L1 (SP142) C (Tecentriq) K (for lung ca) C (if + or equivoca h Alk by FISH) DS1 IHC (if + or e K (for lung ca) IHC K by FISH ET PCR (if neg gative, run ROS1 D-L1 (22C3) IHC EFR	C	N/A PD-L1 (28-8) (Opdivo) N/A PD-L1 (E1L3 (generic) ROS1 IHC ,run ROS1 by FISH) N/A ROS1 by FISH) N/A ROS1 by FISH N/A BRAF V600 b NAK FISH, and if A ALK FISH	H R POST FISH AND HICK IS SH) ROS1 FISH AND FISH SH) ROS1 FISH AND ROS1 FISH ROS	ME		MLH1 IHC
N/A (Keytruda)	N/A PD-L1 (Opdive N/A PD-L1 (Tecent roved) MSH2 MSH2 MSH6 MSH8 ITC ANUP4B) HER2 FISH; HER2 IHC slice Gif required be be sequivocal, Kappa Transtle Transtle Manael (congental opa, lambor submit your submit wour submit your submit sub	(SP142) IHC triq) IHC IHC IHC IHC IHC IHC IHC IHC IHC IH	N/A PIC N/A PIC N/A PIC N/A PIC N/A PIC PIC	eytruda) D-L1 (SP142) C (Tecentriq) K (for lung ca) C (if + or equivocan ALK by FISH) SS1 IHC (if + or e K (for lung ca) IHC K by FISH ET SISH ET S	ative, run ative, run ative, run ative, run ative, run Bish de your ative, run ative, run Bish de your ative, run ative, run ative, run ative, run ative, run Bish de your ative, run ative, ru	N/A PD-L1 (28-8) (Opdivo) N/A PD-L1 (E1L3 (generic) ROS1 IHC , run ROS1 by FISH) N/A ROS1 by FISH) N/A ROS1 by FISH N/A ROS1 by FISH N/A BRAF V600 b n ALK FISH, and if A ALK FISH, and if A ALK FISH; if ALK is neggative, run MET FISH and RET F	H R Sy PCR LK is (ative, run and RET FISH) LK is SH) ROS1 FISH and RET FISH) MS N) IHC	G		MLH1 IHC

Send: ☐ Reqs (List req #)

 \Box Transport Kits \Box TC Transport Kits \Box RPMI \Box Michels \Box Other Date Needed By:

By submitting a specimen with this requisition form, you agree:

- 1) The information provided on this form and accompanying paperwork is complete and accurate.
- 2) If the information is not accurate, and PhenoPath cannot obtain reimbursement for services that have been requested and provided, Client agrees to accept financial responsibility.
- 3) If the test order is ambiguous, PhenoPath may contact client to determine intent. Testing may be delayed.
- 4) Requests for testing PhenoPath does NOT perform (for current test menu, consult PhenoPath's website www.phenopath.com or contact Client Services at 1.206.374.9000, or Toll-free at 1.888.92.PHENO (1.888.927.4366):
 - a) PhenoPath may forward specimens to an alternate facility for testing it does not perform, upon authorization by Client.
 - b) PhenoPath will manage return of applicable specimen to Client.
 - c) By signing the authorization form, Client agrees to pay for authorized services that are not paid for by a third party. PhenoPath can only bill for professional services provided by PhenoPath.

ICD-10 – All providers, laboratories, institutions, hospitals, and other providers ordering laboratory testing to be performed by PhenoPath Laboratories must provide all clinically relevant ICD-10-CM diagnosis codes for all testing submitted.

Direct Bill Law — Washington is a "direct-bill" state for anatomic pathology services (http://apps.leg.wa.gov/rcw/default.aspx?cite=48.43.081, RCW 48.43.081). This means that for specimens originating in the State of Washington, PhenoPath can only send a bill to the entity that ordered the services (or to the patient or their insurance).

MEDICARE COVERAGE DETERMINATIONS – PhenoPath is a Medicare participating provider, and is subject to the local coverage determinations (LCD) of the Medicare Administrative Contractor (MAC) for Jurisdiction F, Noridian Healthcare Solutions, Contractor No. 02402. Additional information can be obtained online at: https://www.noridianmedicare.com/partb/coverage/active.html.

MEDICARE MEDICAL NECESSITY REQUIREMENTS – When ordering laboratory tests that are billed to Medicare/Medicaid or other federally funded programs, the following requirements may apply:

- 1) Only tests that are medically necessary for the diagnosis or treatment of the patient should be ordered. Medicare does not pay for screening tests, except for certain specifically approved procedures, and may not pay for non-FDA-approved tests or tests considered experimental.
- 2) If there is reason to believe that Medicare will not pay for a test, the patient should be informed, and asked to sign an Advanced Beneficiary Notice (ABN) to indicate whether he/she accepts responsibility for the cost of the test if Medicare denies payment.
- 3) The ordering physician must provide all clinically relevant ICD-10 diagnosis codes, not a narrative description, in order to support the medical necessity of each test ordered. Providing ICD-10 codes on the Requisition will avoid unnecessary phone calls to physician and client offices as well as delays in service to patients to obtain medical necessity documentation. PhenoPath may contact Client to obtain diagnosis information for reasons including, but not limited to the following:
 - A diagnosis code is not provided.
 - The provided diagnosis appears inconsistent with the patient's demographic, the patient's medical condition or the testing services being ordered.
 - The provided diagnosis does not meet the coverage criteria as supporting medical necessity for testing services covered by a Medicare LCD.
- 4) Organ- or disease-oriented panels should be billed to Medicare only when every component of the panel is medically necessary. The OIG takes the position that a physician who orders medically unnecessary tests for which Medicare reimbursement is claimed may be subject to civil penalties. PhenoPath- and client-customized panels should be billed to Medicare only when every component of the customized panel is medically necessary. PhenoPath offers groups of tests based on accepted clinical practice.

Advanced Beneficiary Notice ("ABN") – An ABN, Form CMS-R-131, is a standardized notice you must issue to a Medicare beneficiary before providing certain Medicare Part B (outpatient) or Part A (limited to hospice, home health agencies [HHAs], and Religious Nonmedical Healthcare Institutions only) items or services. You must issue the ABN when:

- · You believe Medicare may not pay for an item or service;
- · Medicare usually covers the item or service; and
- Medicare may not consider the item or service medically reasonable and necessary for this patient in this particular instance. You should only provide ABNs to beneficiaries enrolled in original (fee-for-service) Medicare. ABNs allow beneficiaries to make informed decisions about whether to get services and accept financial responsibility for those services if Medicare does not pay. The ABN serves as proof the beneficiary knew prior to getting the service that Medicare might not pay. If you do not issue a valid ABN to the beneficiary when Medicare requires it, you cannot bill the beneficiary for the service, and you may be financially liable if Medicare doesn't pay. You may also use the ABN as an optional (voluntary) notice to alert beneficiaries of their financial liability prior to providing care that Medicare never covers. ABN issuance is not required to bill a beneficiary for an item or service that is not a Medicare benefit and never covered.
- If you order a test that does not meet Medicare's medical necessity guidelines, it is important that you complete an ABN and have it signed by the patient at the time of service. This will allow you and PhenoPath to bill the patient for the services provided if Medicare does not reimburse us for the test(s) and if the patient has accepted the financial responsibility. Medicare defines medical necessity as services that are: reasonable and necessary, for the diagnosis or treatment of an illness or injury or to improve the functioning of a malformed body member, and not excluded under another provision of the Medicare Program. All services reported to the Medicare Program by healthcare professionals must demonstrate medical necessity through the use of International Classification of Diseases, 10th Revision, Clinical Modification (ICD-10-CM) diagnostic coding carried to the highest level of specificity for the date of service.

Physician Clinical Consultant: PhenoPath's pathologists are available to discuss appropriate testing and test ordering with ordering physicians.